

## On fire since 1844

## The Faber story

Faber's roots are in the Dutch province of Friesland where in 1844, Jan Gerrits Faber established a blacksmith's shop. In addition to fireplaces, the business also made bicycles, skates, hay and straw balers, beet cutting machines and safes. When natural gas was discovered at nearby Slochteren in the sixties, fireplaces became all the rage. For Faber, this provided sufficient reason to concentrate its efforts on the design and production of quality gas fires. The business gradually developed into market leader in the field of chimney-based fires. In 1996, Faber launched its very first fires with closed combustion technology, a safe technique which has since been adopted by many other manufacturers. In 2001, Faber moved from Leeuwarden to its current location in Heerenveen. All Faber fires are sold through carefully selected distributors and partners, whose names can be found on our website.

## Faber gas fires

Faber occupies a leading position in the European market for top-of-the-range gas fires and stoves which are equally suited to domestic, commercial and hospitality environments. Our collection includes a great diversity of types, sizes and models which are individually assembled to order. Gas fires are perfect for those who seek out the warmth and cosiness of a real fire, but do not have the space for a chimney or don't want the hassle of using logs. Faber's flue system provides unrivalled installation possibilities by allowing a total flue length of up to 30 vertical metres without the need for fan assistance.

## **Quality and guarantee**

Faber produces high quality fires which all have CE approval. Our guarantee conditions conform to the requirements of the country in which our dealers operate. Faber fires sold in the UK carry a three year guarantee, provided they have been supplied and installed by an authorised Faber dealer and have been serviced annually by a Gas Safe Register engineer. Faber is part of the Irish Glen Dimplex Group, the largest manufacturer of fires and electric heating in the world.



#### **Built-in** Freestanding **With Surround** Outdoor Aspect C L Farum Clear 46 Buzz 6 Aspect ST L 36 42 Hestia Tube Jelling Aspect RD L 43 8 37 Kolding Spectra Frameless 9 Aspect ST XL 38 Odense Aspect RD XL 10 39 Skive Bright 40 Vaska 12 Clear 13 Duet M 14 Duet L 15 Duet XL 16 Fyn 450 Fyn 600 18 Glance 19 Hestia 20 Honest 21 Relaxed Premium M Relaxed Premium L 22 23 Relaxed Premium XL 24 Respect IC 25 Respect OC 26 Spectra Frameless Straight Frameless 28 Presence 29 Intense 30 Serene Silence 32 Triple M 33 Triple L 34 Triple XL

# Gas Fires & Techniques

## Gas fires & techniques

When choosing a new fire, one of the most important considerations is the type of flue system required. This will usually depend on your existing home facilities, particularly if you already have a flue or chimney, as well as your heating requirements and your overall aim for the design of the room.

## Flue types

Faber offer fires that are suitable for Balanced Flue and others for use with a Conventional Flue. Your Faber dealer will be able to give you advice on which type of product is most suitable for your application.

#### **Balanced flue**

Most of the Faber range is available in a Balanced Flue configuration which uses a double-wall pipe to draw in fresh air for combustion from outside the property and expel the exhaust gasses. Combined with the sealed construction of the fire the balanced flue system results in highly efficient combustion which

is completely sealed from the air within the room. The flexibility of the Faber Balanced Flue pipework system allows installation against internal and external walls, and uniquely in the market, provides the capability of a total flue length of up to 30 vertical metres without fan assistance. Your Faber dealer will be able to assess your intended site and advise you on what is possible.

#### Conventional flue

A conventional flue uses an existing chimney and is more usually found in older properties. Once again, your Faber dealer will be able to advise on the condition and suitability of an existing chimney for connection to a Faber fire. A conventional flue uses air from within the room for combustion. Making use of an existing chimney inevitably dictates the location of the fire.


### Gas fires and chimney breasts

Many newer properties do not have chimney breasts; however false chimney breasts can be easily constructed and finished using fire-resistant materials. A false chimney breast allows the pipework for the fire installation to be concealed, providing a neat and attractive finish with the fire built into the false wall which has been designed to maximise the dramatic impact of the fire. Convection grilles are used on either side of the chimney breast to reduce heat build-up and release the heat back into the room and most models are also supplied with a door to conceal the manual over-ride controls. The design of the installation can ensure that the grilles and the control door are positioned in an unobtrusive location.

#### Purchase and installation

Faber has appointed carefully selected dealers around the country to provide expert advice and high levels of service.

All our dealers employ experienced installation teams who are appropriately qualified as it is illegal for anyone who is not a member of the Gas Safe Register to service or install a gas appliance. We recommend that you only consider buying a Faber fire from one of our appointed dealers. A full list of dealers can be found on our website www.faberfireplaces.co.uk





Conventional flue



Balanced flue

## **Burner Information**



## The Log Burner®

Has a ceramic log set and the flames concentrate in the middle of the log set. The Log Burner® is comparable with a small camp fire.



### The Flat Burner®

The Flat Burner® also has a ceramic logset or a pebble set. It spreads the flames over the entire width of the fire, offering high output. It can also be used with propane gas.



## The Emberbed Burner®

Distributes flames across the entire width of the fire in an elegant curved shape. Available with log or pebble set.



## Step Burner®

Faber's latest exclusive technology, the innovative Step Burner®, is divided into three sections which allows the full width of the burner to be lit or just the centre section.

With both width modes offering high and low flame height settings, the Step Burner® provides ultimate controllability of heat output and running costs. The lowest setting allows the fire to be used virtually all year round without sacrificing the impressive appearance and heating capacity of a large fire.











## Heat output Step Burner®

Heat output (kW) step 1 (wide / high)
Heat output (kW) step 2 (wide / low)
Heat output (kW) step 3 (narrow / high)
Heat output (kW) step 4 (narrow / low)

Pester	C, bedect	SI PEDEC	beder	STA	iko pari	Ouet 4	r Gelate	Selat.	ed Preside	d Sies in	KESLEY TO	tigle,	Tible 4
7.0	7.0	7.0	8.9	8.9	7.4	8.4	5.5	7.4	8.4	10.6	10.7	7.4	8.4
2.4	2.4	2.4	4.2	4.2	4.0	3.1	2.3	2.4	3.1	5.9	6.4	4.0	3.1
3.4	3.4	3.4	5.0	5.0	4.0	4.6	3.0	3.4	4.6	4.5	4.7	4.0	4.6
1.9	1.9	1.9	3.2	3.2	3.0	2.4	1.7	1.9	2.4	3.6	3.9	3.0	2.4


Impressive wide-angle gas fire.


Innovative Step Burner®.

Available with a left or right hand corner.


Choice of logs, white pebbles or grey stones.












Impressive see-through gas fire.

Innovative Step Burner®.

Choice of logs, white pebbles or grey stones.









Large 3-sided see-through gas fire. Innovative Step Burner®.

Choice of logs, white pebbles or grey stones. Interior end-panel options: black-painted steel or black mirror.












A stunning see-through gas fire.

Innovative Step Burner®.

Choice of logs, white pebbles or grey stones.










An imposing 3-sided see-through gas fire. Innovative Step Burner®.

Choice of logs, white pebbles or grey stones. Interior end-panel options: black-painted steel or black mirror.









Frameless, double-sided gas fire.

Can be used as a dramatic feature within a room or within the dividing wall between two rooms.

Choice of pebbles or logs.




Frameless built-in fire.

Can be inset into a wall or a purpose-designed surround (see page 41).

Log burner and flat burner options.

Interior options: black-painted steel, black mirror, brick lining nostalgic, with or without fireback.







Frameless corner fire.

Available with a left or right hand corner.

Supplied with either logs or white pebbles.

Optional footplate and lintel available.



Large frameless corner fire.

Available with a left or right hand corner.

Innovative Step Burner®.

Choice of logs, white pebbles or grey stones.

Optional footplate available.







Extra large frameless corner fire.

Available with a left or right hand corner.

Innovative Step Burner®.

Choice of logs, white pebbles or grey stones.

Optional footplate available.




Frameless built-in fire.

Remote control.

Choice of interior finish: black-painted steel or modern brick effect.

Available with logs or white pebbles.








Frameless built-in fire.

Remote control.

Black-painted steel interior.

Available with logs or white pebbles.










A wide, 2-sided fire that can be used as a stylish room divider.


Frameless design.


Choice of logs or white pebbles.











Frameless built-in fire available with a choice of interior finishes.

Black, ribbed steel interior shown (available while stocks last).

Also available with Nostalgic brick interior with fireback, (as shown on page 42), or without.

Black drawer front (control cover), stainless steel front optional.

Log burner and flat burner options.

Can also be used in a surround.




Frameless corner fire.

Symmetrical design allows use on a left or right hand corner.

Supplied with a footplate.

Log burner.











Wide modern built-in gas fire.

Innovative Step Burner®.

Choice of logs, white pebbles or grey stones.









Wide modern built-in gas fire.


Innovative Step Burner®.

Choice of logs, white pebbles or grey stones.













Extra-wide modern built-in gas fire.

Innovative Step Burner®.

Choice of logs, white pebbles or grey stones.







Unique extra-wide L-shaped gas fire.

Inside corner and outside corner versions available.

Black mirror back panels.

Choice of logs, white pebbles or grey stones.

Perfect for larger homes or as a feature in a commercial or hospitality environment.







Unique extra-wide L-shaped gas fire.

Inside corner and outside corner versions available.

Black mirror back panels.

Choice of logs, white pebbles or grey stones. Perfect for larger homes or as a feature in a

commercial or hospitality environment.







Frameless built-in fire available with a choice of interior finishes.


Black painted, ribbed steel interior shown.

Also available with Nostalgic brick interior with fireback, (as shown on page 43), or without.


Black drawer front (control cover) supplied, stainless steel front optional.

Log burner and flat burner options.

Can also be used in a surround.











Tall frameless built-in fire with stainless steel front (control cover).

Black painted steel interior.

Log burner.




Built-in fire that can be used with or without a frame.

Designed to fit a standard UK chimney breast with a conventional flue.

For use with or without a chimney liner.


Vermiculite interior shown, also available with black painted steel interior.

Logs and white pebbles supplied as standard.









Modern built-in fire with elegant black glass frame.

Available in two versions: conventional flue with Flat
Burner and balanced flue with Log Burner.

Designed to fit into a standard UK chimney breast.




Built-in fire with a choice of 2 frame colour options.

Designed to fit into a standard UK chimney breast.

Balanced flue and conventional flue options.

Log burner.








Built-in fire with choice of 2 frame colour options.

Balanced flue and conventional flue options.

Log burner.




Frameless 3-sided gas fire.

Supplied with either logs or white pebbles.

Optional lintel and footplate available.







Large frameless 3-sided gas fire.

Innovative Step Burner®.

Choice of logs, white pebbles or grey stones.

Optional footplate available.



Extra large frameless 3-sided gas fire.

Innovative Step Burner®.

Choice of logs, white pebbles or grey stones.

Optional footplate available.







Modern freestanding gas stove.

Black painted steel construction.


Available with logs or white pebbles.









Modern freestanding gas stove in black cast iron. 3-sided glass with black, ribbed steel back panel. Log burner.











Freestanding gas stove finished in black.

Single door available in 2 designs; the Classic has the appearance of being a double door while the Modern has the appearance of being a single door (as shown opposite).

Optional soapstone hotplate.

Thermostatic control.



Modern freestanding gas stove in black cast iron.


3-sided glass with black, ribbed steel back panel.

Log burner.











Modern wall-hung gas stove.


Cast iron construction.

3-sided glass with black, ribbed steel back panel.

Log burner.









Freestanding gas stove.

Black painted steel finish.

Optional soapstone covering.







Frameless built-in fire available with a choice of interior finishes.

Black ribbed steel interior shown opposite.

Also available with black mirror and nostalgic brickline interior, with or without fireback.

Surround shown is Wirdum 840.




Frameless built-in fire available with a choice of interior finishes.

Nostalgic brickline interior with fireback shown opposite.

Also available without fireback or with black, ribbed steel interior (while stocks last).

Surround shown is Wirdum 670.







Impressively large frameless built-in fire available with a choice of interior finishes.

Black ribbed steel interior shown opposite.

Also available with nostalgic brickline interior, with or without fireback.

Surround shown is Wirdum 840.



### **Outdoor Fires**

### Case Study - Eten By Peter, Heerenveen

In a restaurant it is very important to make the customers feel welcome and to make the environment as comfortable as possible for them. The Buzz outdoor fire from Faber fits perfectly with this. Peter is the owner of catering company Peter's Partyservice who also has a successful restaurant in Heerenveen, the hometown of Faber in Holland. "I consciously choose for comfort and cosy ambiance, both inside and outside. In this way we try to attract potential customers who are walking by. In addition, the Buzz gives my customers who smoke a nice warm place to have a cigarette."

For the restaurant, Peter has chosen to use the natural gas model as this allows the Buzz to be lit every evening without having to refill gas cylinders. "As well as the permanent place in front of my restaurant, I use Faber's outdoor fireplaces quite often during my catering activities. As they are easily portable they transform each location quickly to give a comfortable, warm and friendly atmosphere."













The Buzz is a unique outdoor fire that brings Faber's renowned style and flame picture to the balcony, patio or garden.

Realistic ceramic logs.

Black-painted steel construction.

Fully portable with integrated handle.

Uses 0.7kg of Propane gas per hour.

Supplied with Faber-branded cover.

Optional ash tray available at an extra cost.







Modern round outdoor gas fire that brings a unique look to the balcony, patio or garden.

Tube Burner®.

Black-painted steel construction.

Fully portable with integrated handle.

Use 0.5kg of Propane gas per hour.

Supplied with a Faber-branded cover.

Complete with integral ash tray.



## Surrounds

A Faber surround can be the perfect finishing touch to your new fire. The Wirdum surrounds have been specifically designed to complement the style of the Hestia, Clear and Spectra Frameless fires and are suitable for traditional and more modern interiors. Faber surrounds are manufactured in artificial marble. Artificial marble is made from a mixture of ground marble and synthetic resin which is poured into moulds. This process delivers consistent quality and uniformity of colour and finish, factors that can be problematic with natural stone, and is less susceptible to the adhesion of dirt.

The Wirdum is available in two different sizes to perfectly match your chosen fire and both are offered in two different finishes, polished and honed. Polished is a high-gloss finish and honed is a smooth satin gloss.



Hestia fire in Wirdum 670 surround

#### ARTIFICIAL MARBLE SURROUNDS

polished



Wirdum 670





Wirdum 670:	Hestia
Wirdum 840:	Clear, Spectra Frameless

# **Technical Icons**



Conventional flue



Remote control



Balanced flue



Remote control de luxe (GV36 with TT)



Remote control de luxe (GV60 with TT and ignition)



Log Burner®



Flat Burner®



Emberbed Burner®



Step Burner®











Grey stone chippings



White pebbles



input/output















Ribbed steel interior



Black mirror glass interior







Black



Brick line Nostalgic





Cast iron



Brick line Nostalgic with fireback



Black / Anthracite



Soapstone



Stainless steel

						~	.0)														4	165,	4.0 4.0	`\@\s.\						10.50	٠	8. <sub>J</sub>
echnical		.4	(b)	10.	16.9	16.21	16.			ر ري		<i>.</i>	<i>(</i> 0,	a A.		ć	S 14	30,"	30	B) (	dille.	CHINT.	WILLIAM .	5W,	'0' <sub>(2)</sub>	30)	B	31) 311	ત્રુણાઈ	°	<i>Keless</i>	رن ا
pecs Gas	BIIII.IM	set psi	g. S. A.	NO. PER PER	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	*Q. (5)	14.0° 0.801.0°.	D.	St Ou	1 01. 13 0.	1×1	, 44 5, 70 1, 20 1, 20		ice p. Hezire p.	'81	est 10.2	& ,,<	5. 4. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6.	31.CS	Hed Shel	*60 C	489 Sign	, 'c',	Sold Self	ું જ	16. O.	% 8.Q	10.34 0.31 0.31 0.31 0.31 0.31 0.31 0.31 0.31	) } }	aidht frá	Ingles Ling	50
ı general	en, beg	is best	is beg	best.	i ka	ng Gill	3. O.g.	On	is, On	, O.	k, 44	. (A	, Cla	r. 1482 .	401	s lite	life	, 6 <sub>66.</sub>	\ 66/ <sub>6</sub>	, 6 <sub>8),</sub>	, 6 <sub>6),0</sub>	, 6 <sub>62</sub>	, 6 <sub>62,</sub>	` cg(\`	ુ વ્હ	° Sjil	, eile	જ	SH,	or Litt	Se Litt	\ \
eat input (kW)	10.0	10.0	10.0	12.7	12.7	8.7	lb 7.5 fb 8.8*	9.7	10.5	12.0	4.5	5.0	8.8	lb 7.5 fb 8.8	7.0	6.2	6.0	5.2		10.5		14.2	14.2	6.2	6.0			lb 9.8 fb 10.4			10.5	
eat output (kW)	7.0	7.0	7.0	8.9	8.9	6.1	lb 5.3 fb 6.2	6.8	7.4	8.4	3.2	3.5	6.2	lb 5.3 fb 6.2			4.2	4.4	5.5	7.4	8.4	10.6	10.7	4.4	4.2	5.0	5.3	lb 6.9 fb 7.3	5.0	6.8	7.4	8.
eat output (kW) step 2 tep Burner® (wide/low)	2.4	2.4	2.4	4.2	4.2	-	-	·	4.0	3.1	-	-	-	٠	-	-	-	-	2.3	2.4	3.1	5.9	6.4	-		-	-		-	-	4.0	3.
eat output (kW) step 3 tep Burner® (narrow/high)	3.4	3.4	3.4	5.0	5.0	-	-	-	4.0	4.6	-	-	-	-	-	-	-	-	3.0	3.4	4.6	4.5	4.7	-		-	-		-	-	4.0	4.
eat output (kW) step 4 tep Burner® (narrow/low)	1.9	1.9	1.9	3.2	3.2	-	-	•	3.0	2.4	-	-	-	-	-	-	-	-	1.7	1.9	2.4	3.6	3.9	-	-	-	-	-	-	-	3.0	2.
et																			_													_
ogs	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
rey stone chippings	0	0	0	0	0	-	-	-	0	0	-	-	-	-	-	-	-	-	0	0	0	0	0	-	-	-	-	-	-	-	0	
hite pebbles	0	0	0	0	0	0	0	0	0	o	0	•	0	-	-	0	-	•	0	0	0	0	0	-	-	-	-	-	- [	0	0	C
pe of Gas																																_
atural gas	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
PG	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
urner																																
ep Burner®	•	•	•	•	•	-	-	-	•	•	-	-	-	-	-	-	-	-	•	•	•	•	•	-	-	-	-	-	-	-	•	•
mberbed Burner®	-	-	-	-	-	-	-	-	-	-	•	•	-	-	-	-	-	•	-	-	-			-	-	-	-	-	-	-	-	-
lat Burner®	-	-	-	-	-	•	0	•	-	-	-	-	•	0	-	•	-	-	-	-	-			-	-	-	-	0	-	•	-	-
og Burner®	-	-	-	-	-	-	•	-	-	-	-	-	-	•	•	-	•	-	-	-	-			•	•	•	•	•	•	-	-	-
urner chamber																																
at steel interior	•	•	•	•	•	-	0	•	•	•	•	•	-	-	-	-	-	-	•	•	•			-	-	-	-	-	-	•	•	•
ibbed steel interior	-	-	-	-	-	•	•	0	-	-	-	-	•	0	•	•	•	•	-	-	-			•	•	•	•	•	•	0	-	-
lack mirror glass interior	0	-	0	-	0	-	0	0	0	0	-	-	-	-	-	-	-	-	0	0	0	•	•	-	-	-	-	-	-	0	0	c
rick line	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	-	-	•	-	-	-			-	-	-	-	-	-	-	-	-
rick line Nostalgic	-	-	-	-	-	-	0	-	-	-	-	-	-	•	-	-	-	-	-	-	-			-	-	-	-	0	-	-	-	
rick line Nostalgic with fireback	-	-	-	-	-	-	0	-	-	-	-	-	-	0	-	-	-	-	-	-	-			-	-	-	-	•	-	-	-	-
ptions and Accessories																																
oot plate	-	-	-	-	-	-	-	0	0	0	-	-	-	-	•	-	-	-		-	-			-	-	-	-	-	-	0	0	C
intel	-	-	-	-	-	-	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-	0	-	-
et of convection grilles	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	-	-	-	•	•	•	•	•	-	-	-	-	•	•	•	•	k
Control door		•	•	•	•		•			•	•	•	•	_		- 1	-	- 1		•	•	•	•	-		_		-				

o Optional | lb Log Burner® | fb Flat Burner® | CF conventional flue | BF balanced flue

	, OH	<b>(6</b> .5)		^	<i>∞</i>			H SHRRUMU	Jun od lo d	special hiding
ئىجىر	TAM.	Jejir	9/6. P	(18,000) (18,000)	<sup>58</sup> /0.50/	26. 1848 16. 1848	10 YO)	H SUPPR	Juni is wild	n. Hakaying
K.	₹ <sub>MII</sub>	Jellin	., 19 <sub>10</sub>	ing Oper	Skill	, 183kr	W	Cless.	/Resur	20er Milos
	4.5	6.5	8.5	6.5	6.5	6.9*		lb 7.5 fb 8.8*	lb 7.5 fb 8.8	lb 9.8 fb 10.4
	3.2	4.6	6.5	4.6	4.6	4.8		lb 5.3 fb 6.2	lb 5.3 fb 6.2	lb 6.9 fb 7.3
				-						-
	-	-	-	-		-		-	-	-
	-	-	-	-		-		-	-	-
'										
	•	•	•	•	•	•		•	•	•
	-	-	-	-	-	-		-	-	-
	0	-	-	-	-	-		0	-	-
	•	•	•	•	•	•		•	•	•
	0	0	-	0	0	0		0	0	0
ı								_		
	-	-	-	-		-		-	-	-
	-	-	-	-		-		-	-	
	-	-	-	-	-	-		•	•	•
		•		•		•		•	<u> </u>	•
	•	-	- 1	-	- 1	•		0	-	
	-	-	-	•		-		•	0	•
	-	-	-	-		-		0	-	-
	-	-	•	-		-		-	-	-
	-	-	-	-		-		0	•	0
	-	-	-	-	-	-		0	0	0
	-	-	-	-		-		-	-	-
	-	-	-	-		-		-	-	-
	-	-	-	-		-		•	•	•
	-	-	-	-	-	-		•	-	

AN AN

### Technical Specs Outdoor

	871	(III)
In general		
Heat input (kW)	9.3	6.5
Conumption kg/h)	0.7 kg/h	0.5 kg/h
Ash-tray	0	•
Gas socket	0	0
Burner	Log Burner®	Tube-Burner
Ceramic logs	•	-
Outside cover	•	•
Type of Gas		
LPG	•	•
Natural Gas	0	0

o Optional



UK and Northern Ireland GDC Group Ltd Millbrook House Grange Drive

Hedge End

Southampton S030 2DF

t +44 (0)844 879 3588

f +44 (0)1489 773050

e customer.services@faberfireplaces.co.uk

w www.faberfireplaces.co.uk

Republic of Ireland

Dimpco Ltd

Old Airport Road

Cloghran

Co Dublin Ireland

t +353 (0)1842 4833

f +353 (0)1842 4943

e sales@dimpco.ie

w www.dimpco.ie

